कार्यालय मुख्य अभियन्ता सिंचाई एवं बाढ़ नियंत्रण विभाग दिल्ली सरकार एल.एम.बंध कार्यालय परिसर, शास्त्री नगर, दिल्ली —110031

सं. : सी.ई.एफ. / एस.एस.डब्लयू. / वि.स.सत्र / 2023 / 9 513 - 16

दिनांकः १५ / १२ / २३

सेवा में.

उप/सचिव (प्रश्न शाखा) दिल्ली विधान सभा सचिवालय, पुराना सचिवालय, दिल्ली–54

विषय:- विधान सभा अतारांकित प्रश्न संख्या ४४ दिनांक 15.12.2023 के संबंध में ।

महोदय,

कृप्या आपके कार्यालय के ई—मेल दिनांक 05.12.2023 का अवलोकन करें जिसके साथ उपरोक्त अतारांकित प्रश्न संख्या 44 सिंचाई एवं बाढ़ नियंत्रण विभाग को भेजा गया है । इस संबंध में सिंचाई एवं बाढ़ नियंत्रण विभाग के उत्तर की 100 प्रतियां सूचनार्थ हेतु संलग्न है

यह उत्तर माननीय मंत्री (सि. एवं बा. नि.) से मिली स्वीकृति अनुसार भेजा जाता है ।

संलग्नः उपरोक्त ।

भवदीय,

(शिव कुमार) कार्य सर्वेक्षक / नोडल अधिकारी

सं. : सी.ई.एफ. / एस.एस.डब्लयू. / वि.स.सत्र / 2023 / 9 513 - 16

प्रतिलिपि:-

1. सिंचाई एवं बाढ़ नियंत्रण मंत्री के सचिव, राष्टीय़ राजधानी क्षेत्र, दिल्ली सरकार, दिल्ली सचिवालय, नई दिल्ली—2 को प्रश्न के उत्तर की प्रतिलिपि सहित सूचनार्थ प्रेषित ।

2. प्रधान सचिव, सिंचाई एवं बाढ़ नियंत्रण विभाग, दिल्ली सरकार, 5/9, अण्डर हिल रोड, दिल्ली -110054 को

प्रश्न के उत्तर की प्रतिलिपि सहित सूचनार्थ प्रेषित ।

3. निदेशक, सूचना एव प्रसारण निदेशालय, पुराना सचिवालय, दिल्ली—54 को प्रश्न के उत्तर की प्रतिलिपि सहित सूचनार्थ प्रेषित ।

Pala 3 nr

(शिव कुमार) कार्य सर्वेक्षक / नोडल अधिकारी

कार्यालय मुख्य अभियन्ता सिंचाई एवं बाढ़ नियंत्रण विभाग दिल्ली सरकार एल.एम.बंध कार्यालय परिसर, शास्त्री नगर, दिल्ली ।

अतारांकित प्रश्न संख्या : 44

सिंचाई एवं बाढ़ नियंत्रण

दिनांक

: 15-12-2023

प्रश्नकर्ता का नाम : श्री संजीव झा

क्या माननीय सिंचाई एवं बाढ़ नियंत्रण मंत्री यह बताने की कृपा करेंगे कि:--

क्र.स.	प्रश्न	उत्तर
(क)	क्या यह सत्य है कि बुराडी पुस्ते पर सिंचाई एवं बाढ़ नियंत्रण के द्वारा लगाई गई पोल लाइट्स पिछले 4 साल से बंद हैं;	जी हाँ, कुछ पोल की लाइटस बंद है
(ख)	यदि हाँ, तो विभाग के द्वारा इसे ठीक करने के लिए क्या कदम उठाए गए हैं, उसका संक्षिप्त विवरण दीजिए;	सिंचाई एवं बाढ़ नियंत्रण विभाग की मकैनिकल डिविजन—1 के द्वारा बंद लाइटों को चालू करवाने हेतु टेंडर नोटिस जारी किया गया हैं।
. (ग)	यदि इस पुस्ते की पोल लाइट की मेंटेनेंस का टेंडर किसी एजेंसी को दिया गया है तो उसकी वर्क आर्डर सहित पूर्ण विवरण दें;	पोल लाइट की मेंटेनेंस का टेंडर हुआ था। कैबल चोरी होने के कारण कुछ भाग की लाइटे पिछले 8 माह से बंद थी। अतः इस भाग की गणना को मेंटेनेंनस भाग में शामिल नहीं किया गया। इस कार्य का वर्क आर्डर प्रतिलिपि सलंग्न सूची 'क' में है।
(ঘ)	यदि मेंटेनेंस का टेंडर नहीं दिया गया है तो उसका क्या कारण है; और	भाग ग के अनुसार
(উ)	ये टेंडर कब तक जारी कर दिये जायेंगे?	बंद लाइटों को चालू करवाने हेतु टेंडर खोलने की तिथि 14.12.2023 तय की गई है.। जिसके बाद इस कार्य को याग्य एजेंसी को अवार्ड किया जाएगा।

े विक्रमार) (शिव कुमार) नोडल अधिकारी

नोडल अधिकारी/कार्यसर्वेक्षक कार्यालय मुख्य अभियन्ता सिंचाई एवं बाढ़ नियंत्रण विभाग रा.रा. क्षेत्र दिल्ली सरकार्



OFFICE OF THE EXECUTIVE ENGINEER MECHANICAL DIVISION-I, I&FC DEPARTMENT GOVT. OF NCT OF DELHI, NEAR D.T.C DEPOT: NANGLOI: DELHI-110041

Phone No.- 25472219, Email:- ifcmdi@gmail.com



No. F. 1(4)/MD.I/Acctts/Tender/2022-23/08/

M/S Kunjal Enterprises, RZC-100/B, (GF),

Vishnu garden,

New Delhi-110018.

Name of Work :- A/R & M/O of Bunds and Drains.

Sub: Work

:- Maintenance of Street Lighting for the period of 12 months under

Jurisdiction of Civil Division-VI.

Stipulated Date of Start: - 06/10/2022

Stipulated Date of Completion: - 05/10/2023.

Dated

Tender ID

: - Tender ID 2022_IFC_228439_1.

Gentlemen.

In continuation of this office letter dated 22/09/2022 & submission of P.G by you amounting to Rs. 3,92,900/- Dated 28/09/2022 vide, A/C no. 352703030126668 issued by Union Bank, you are requested to attend this office of AE-III to execute the formal agreement within 07 days from stipulated date of start.

The entire work under the scope of this tender shall have to be completed by you within 12 months (One year). The date of commencement of work shall be reckoned from 06/10/2022.

You are requested to contact the Assistant Engineer, Sub Division No. - III, of this office for taking possession of site and start the work.

Encl: 1 Copy of Terms & Condition.

2 Copy of Schedule

EXECUTIVE ENGINEER: MD-I

Dated 03-10-2022

No. F. I(4)/MD.I/Acctts/Tender/2022-23/08/950

Copy forwarded for information and necessary action to:-

1. Chief Engineer, Zone - II, I&FC department, L M Bund, Govt. of Delhi.

2. Superintending Engineer (FC-II), I&FC, Rohini Office Complex, Sec. 15. Delhi-85

3. The Income Tax Commissioner, Contract Circle Ward No. 22(1), Civic Centre, New Delhi.

4. The Dy. Labour Commissioner (Labour Department), Karampura, New Delhi.

5. The Commissioner (GST), Govt. of NCT Delhi Bikri Kar Bhawan, New Delhi.

6. Assistant Engineer III for necessary action. (with copy of terms and condition and schedule)

7. Agreement File.

EXECUTIVE ENGINEER: MD-I

Scanned with CamScanner

 $^f_{\mathcal{B}}$ Authority: EXECUTIVE ENGINEER, MECHINICAL DIVISION NO. I

Percentage Boo

with AIR & MiO of Bunds and Drains. Maintenance of Streat Lighting for the period of 12 Mo

	01 FEMIL-WIT/2022-23/08	
CONTRACTOR DE LA CONTRA	The surfaction of Civil Division VI	A WILLIAM SHIPS IN THE SHIPS IN

ω		N						No.	SI.	
upto 1.5 m. including getting out the excavated soil, and then returning the soil as required, in layers not exceeding 20 cm in depth, including consolidating each deposited layer by running, watering, etc. and disposing of surplus excavated soil as directed, within a lead of 50 m; All kinds of soil Pipes, cables etc. not exceeding 80 mm dja.	Exeavating trenches of required width for pipes, cables, etc including exeavation for sockets, and dressing of sides, ramming of bottoms, death	Painting of Street Light poles and fittings.	wattage of LED street lightning on the various Drains and office complete with & providing & leying of UG cables, feeder pillars accessories like MCCB's. Contactors. Relays. Bus Bars. timers, panel wirings, pole wiring/cables. lugs. nurs and bolts etc. and ensuring security thereof to prevent theft of electricity from street light installations complete etc. as required.	maintenance of street lights by using T-	2		Rem Description	16X1		
3500,00	034.00	634	7968.00		4		Y and they	COMBERT	PRICE	
Mir	Each		Each				Units	TEXT!	SCHEDULE CART LACT TIET Bidder Name ar	
147.42	358.00		250.00		6	Kale	Estimated	NUMBER	g Karelevantv id Values baly	
515970.00	228046.00 515970.00		1992000.00			With Taxes	TOTAL AMOUNT	NUMBER -		
INR Five Lakh Fifteen Thousand Nine Hundred & Seventy Only	INR Two Lakh Twenty Eight Thousand &Forty Six		INR Nineteen Lakh Ninety Two Thousand Only		55	in Words	TOTAL AMOUNT	TEXT		
	the soil as required, in layers not exceeding 20 cm in depth, including consolidating each deposited layer by ramming, watering etc. and disposing of surplus excavated soil as directed, within a lead of 50 m; All kinds of soil Pipes, cables etc. not exceeding 80 mm dja.	Execavating tremehes of required width for pipes, cables, etc including exercavation for sockets, and dressing of sides, ramming of bottoms, depth upto 1.5 m. including getting out the excavated soil, and then returning the soil as required, in layers not exceeding 20 cm in depth, including consolidating each deposited layer by ramming, watering, etc. and disposing of surplus excavated soil as directed, within a lead of 50 m; All kinds of soil Pipes, cables etc. not exceeding 80 mm dia.	Painting of Street Light poles and fittings. Excavating trenehes of required width for pipes, cables, ctc including excavation for sockets, and dressing of sides, ramming of bottoms, depth upto 1.5 m. including getting out the excavated soil, and then returning the soil as required, in layers not exceeding 20 cm in depth, including consolidating each deposited layer by ramming, watering, etc. and disposing of surplus excavated soil as directed, within a lead of 50 m; All kinds of soil Pipes, cables etc. not exceeding 80 mm dja.	wattage of LED street lightning on the various Drains and office complete with & providing & laying of UG cables, feeder pillars accessories like MCCB's. Contactors. Relays. Bus Bars. timers, panel wirings, pole wiring/cables, lugs. nuts and bolts etc. and ensuring security thereof to required. Painting of Street Light poles and finings. Excavation for sockets, and dressing of sides, ramming of bottoms, depth the soil as required. In layers not exceeding 20 cm in depth, including consolidating each deposited layer by ramming, watering, etc. and disposing of surplus excavated soil as directed, within a lead of 50 m :All kinds of soil Pipes, cables etc. not exceeding 80 mm dia.	relevant and suitable tools & plants required for smoothly, healthy & wattage of LED street lightning on the various Drains and office complete MCCB's. Contactors. Relays. Bus Bars. timers, panel wiring. MCCB's. Contactors. Relays. Bus Bars. timers, panel wirings, pole prevent theft of electricity from street light installations complete etc. as Painting of Street Light poles and finings. Excavating trenches of required width for pipes, cables, etc including upto 1.5 m. including getting out the excavated soil, and then returning the soil as required. In layers not exceeding 20 cm in depth, including consolidating each deposited layer by ramming, watering, etc. and stinds of soil Pipes, cables etc. not exceeding 80 mm dia. Mir 147.42 515970.00	maintenance of street lights by using Tower Wagon, ladders & all other relevant and suitable tools & plants required for smoothly, healthy & wattage of LED street lightning on the various Drains and office complete MCCB's. Contactors, Relays, Bus Bars, utners, panel wiring/cables, lugs, nurs and bolts etc. and ensuring security thereof to required. Painting of Street Light poles and finings. Execavation for sockets, and dressing of sides, ramning of bottoms, depth the soil as required, in layers not exceeding 20 cm in depth, including etc. and disposing of surplus excavated soil as directed, within a lead of 50 m; All kinds of soil Pipes, cables etc. not exceeding 80 mm dia.	Physiding and Carrying was the comprehensive cam routine & day, to day relevant and satisfable tools & plants required for smoothly, healthy & writage of LED street lightning on the various Drains and office complete MCCB's. Contactors. Relays. Bus Bars, timers, panel witing/cables lugs, nuts and bolts etc. and ensuring security thereof to required. Painting of Street Light poles and finings. Excavating trenches of required width for pipes, cables, etc including upto 1.5 m. including getting out the excavated soil, and then returning cach deposited layer by ramming, watering, etc. and light in a lead of 50 m :All kinds of soil Pipes, cables etc. not exceeding 80 mm dia.	Providing and Comping out the comprehensive cent routine & day to day relevant and suitable tools & plants required for smoothly, healthy & writage of LED street lightning on the various Drains and office complete with & providing & laying of UG cables, feeder pillars accessories like writings, pole prevent theft of electricity from street light installations complete etc. as Painting of Street Light poles and finings. Excavating trenches of required width for pipes, cables, etc including consolidating each deposited layer by ramming, watering, etc. and disposing of surplus excavated soil as directed, within a lead of 50 m :All with a soil as required, and the soil as directed within a lead of 50 m :All with a soil as required, and the soil as directed, within a lead of 50 m :All with a soil as required, and the soil as directed, within a lead of 50 m :All with a soil as required, and the soil as directed, within a lead of 50 m :All with a soil as directed soil as directed, within a lead of 50 m :All with a soil as required.	TEXT: NUMBER NUMBER -	PRICE SCHEDULE PRICE SCHEDULE

Andrew Parties and Angelow Property of the Control						The state of the s		
		10	9	00	-1	rs r	St	
(EN 8 grade) with nuts washer including 2 Nos. template of 3mm thick size 250mmx250mm with 4 Nos. 24mm Dia holes to match with PCD of poles base plate as required (make Bajaj/Volmont/Transrait/Lysaght/Consout/Phillips)	11 wood, trees and saplings of girth up to 30 cm measured at a height of 1 m above ground level and removal of rubbish up to a distance of 50 m outside the periphery of the area cleared. Supplying and fixing of 4 Nos. 20mm x 750mm long Gl foundation belt.		Supplying & drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface/recessed steel / PVC conduit as required 2 x 4 Sqmm	Supplying & drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface/recessed steel / PVC conduit as required 2 x 2.5 Samm	bupplying & testing of PVC insulated armored and PVC Sheathed (genral pupose I multi-core eable with standard aluminium conductor suitable for working voltage upto and including 1100 volts confirming to 181534pt/88 with amendment NO, as required 4 x 50 Sqmm (make :- Havells, Polycab, Grandlay, Finolex)	Supplying & tosting of PVC insulated armored and PVC Sheathed (genral pupose) multi-core cable with standard aluminium conductor suitable for twarking voltage upto and including 1100 volts confirming to J\$1554-pv88 with amendment NO, as required 4 x 25 Sqmm (make:-Harvells-Py-cly-cab, Cat. Cha. Theodor.	[Sapplying & testing of PVC insulated armored and PVC Sheathed (genral papes) multi-core cable with standard aluminium conductor suitable for working voltage upto and including 1100 volts confirming to (\$1554/pt/88 with amendment NO. as required 4 x 16 Sqmm (make: Havells.Ppolycab. Grandlay. Finolex)	ng and laying double walled corrugated (DWC) High Density Mylene (HDPE) pipe of 63 mm size having corrugation on the outer and plain surface on inner wall confirming to 1S 14930 (Part II) low the ground level excluding excavation refilling the trench etc. as required
2.00	2500.00	300.00	2000.00	4000.00	250.00	1500.00	5000,00	2000.00
Nos.	Each Sqin		Mir	Mtr	Mir	Mir	Mir	Mtr
1557.00	7.68	184.74	84,36	56.59	794.00	468.00	310.00	170.00
3114.00	19200.00	55422.00	168720.00	226360,00	198500.00	702000.00	1550000.00	340000.00
INR. Three Thousand One Hundred & Fourteen Only	INR Nineteen Thousand Two Hundred Only	INR Fifty Five Thousand Four Hundred & Twenty Two Only	INR One Lakh Sixty Eight Thousand Seven Hundred & Twenty Only	INR Two Lakh Twenty Six Thousand Three Hundred & Sixty Only	INR One Lakh Ninety Eight Thousand Five Hundred Only	INR Seven Lakh Two Thousand Only	INR Fifteen Lakh Fifty Thousand Only	INR Three Lakh Forty Thousand Only

					1				and the same of th				
	Quot	Quote	Total	-1	16		75		4	1)	
	Quoted Rate in Words	Quoted Rate in Figures	17 Centering and shattering including strutting, propping etc. and removal of form work for: Foundations, footings, bases for columns		consistency control of cost of containing shattering. Smishing and result reconcerns to be soon level (1924 of comem ; 2 coarse sand A graded some aggregate 20 mm nominal size).	Providing and laving in position specified grade of reinforced coment	excluding the cost of comoving and shattering - All work up to plinth level (19510) (I coment : 5 time sand : 10 graded stone aggregate 40 mm nominal size).	Providing and laying in position cement concrete of specified grade	bending, placing in position and binding all complete upto plinth level. Thermo mechanically treated bars of graded Fe-500D or more,	Sieel reinforcement for R.C.C. work including straightening, cutting,	handing, fit upon 1.5 m, including getting out the exercised soil and thepassi of surphies exercised soil as directed, within a lead of 50 m. All kinds of soil.	If work in excavation by mechanical means (Hydraulic excavator) / until means in foundation trenches or drains (not exceeding 1.5 m in fellicity or 10 squ on plan). Including dressing of sides and ramming of	
INR Forty TI		6.00		1.00		0.13		85.00		2.00		The state of the s	
	Less (-)		Sqm	-averacellinus attended vertices despite parts pro-	Cum	And an an arrangement of the second s	Cum		Kg.		Cum		
ee Lakh Six	27,4000%		207.11		6164.61		4228,56		60.44		177.69		
ty Five Thousa	4365280.000	6012781.76	1242.66		6164.61	consecution representations in the consecution of t	549.71		5137,40		355,38		
INIR Forty Three Lakh Sixty Five Thousand Two Hundred & Eighty Only	4365280,0000 INR Forty Three Lakh Sixty Five Thousand Two Hundred & Eighty Only	INR Sixty Lakh Twelve Thousand Seven Hundred & Eighty One and Paise Seventy Six Only	INR One Thousand Two Hundred & Forty Two and Paise Sixty Six Only		INR Six Thousand One Hundred & Sixty Four and Paise Sixty One Only		INR Five Hundred & Forly Nine and Paise Seventy One Only		INR Five Thousand One Hundred & Thirty Seven and Paise Forty Only		filt? Three flundred & Fifty Five and Paise Thiny Eight Only		

BAR

(Blogs-I)